



Wireless sensor network

Build your own wireless sensor network with a combination of sensors of your choice. All sensors are pre-configured and ready to use, including the specially designed [Connect](#).

You can easily install it yourself. Place the sensors in your greenhouse and start collecting data immediately through the platform on your PC or smartphone.

There are various [mounting options](#) available for the Connect and the sensors.

1. Network



Gateway € 799
Central access point for network connections. Supports up to 4000 sensors.



Repeater € 369
This signal amplifier enhances and expands the network for optimal connectivity of the sensors to the Gateway.



Connect
Connect is included for each 30MHz sensor
The Connect sends measurements from the connected sensor to the platform.

- Connect casing (LxWxH) 183x113x107mm
- Mounting bracket (LxWxH) 165x210x205mm

2. Choose your sensors

Soil monitoring



Substrate moisture sensor € 869

3-in-1 measurement

Monitor volumetric water content, EC & temperature. Calibrations are available for each substrate.



Soil moisture sensor € 679

Measure the volumetric water content in potting soil and substrate.

NEW



Log & Solve moisture kit € 350

Minimal order of 6 sensors - 6 or 11 cm probe

Measure volumetric water content in 3 zones, soil temperature & light (lux). For pots, slabs and open field. Powered by Tentacles sensors.

Standalone sensor, no gateway needed

Radiation monitoring



Net radiation sensor € 1999

Excluding bracket worth €349

Measure net radiation: the balance between incoming and outgoing radiation. For monitoring crop health.



PAR sensor € 1179

Measure the intensity of natural or artificial light across the photosynthesis spectrum.



PAR-FAR sensor € 1399

Monitor PAR (400-700nm), far-red (700-750nm), the sum of both and PAR/far-red ratio.



Climate monitoring



MeteoShield® is a registered design & trademark of BARANI DESIGN Technologies

Pointed micro climate € 949

Combined sensors – connect included

Measures temperature, relative humidity, and plant temperature. Calculates VPD, dew point, absolute humidity, and moisture deficit.



Vented temperature humidity sensor € 749

This sensor measures the ambient temperature and relative humidity.



Surface temperature sensor € 599

Measure the plant temperature within the crop for better plant-level control.



Temperature humidity sensor € 569

Measure ambient temperature and relative humidity. Suitable in storage spaces for example.



Temperature probe sensor (PT 100) € 549

Measure the temperature of crops in storage, liquids, or raw materials (different probe lengths available).



CO2 sensor € 1149

Needs power connection
Monitor carbon dioxide levels 0-2000 ppm.



Airflow sensor € 1399

Measures air velocity and direction. So accurate that even the lowest wind speeds are measured.



RTR sensor set € 1799

Combined sensors – connect included

PAR sensor and vented temperature humidity sensor. Measures temperature, relative humidity, and radiation.



Photosynthesis efficiency sensor € 2699

Sendots photosynthesis efficiency sensor combined with the Connect.

Weather monitoring



Wind direction sensor € 849

Suited for outdoor use

Gain more control over the airflow by measuring air currents.



Wind speed sensor € 849

Suited for outdoor use

Monitor weather conditions. Measure wind speeds up to 55 m/s.

Aranet sensors

Local network & 30MHz platform

Multiple options:



- T/RH sensor € 105
- Shielded T/RH sensor € 335
- Soil moisture sensor € 795
- CO2/temperature sensor € 335

3. Sensor data in the platform



Software subscription € 112+ p/m*

Local weather data included

30MHz platform to manage sensor data, receive notifications & analyse via dashboarding. All in one tool to optimize your cultivation strategy.

[*See all subscriptions](#)